Date	Type	Search
27 May 2004	A	D. DeWitt
2 June 2004	R	load balancing
-	R	load balancing and distributed database
	R	allocate query server
	R	query allocation
	R	server allocation
•	R	load balancing and server
	Α	load balancing
	Α	load balancing and server allocation
	Α	metasearch
	Α	distributed query
	Α	query distribution
	Α	database discovery
	R	content routing
3 June 2004	R	server selection
	R	select server and load database
	Α	select server and load database
	Α	server selection and load database
	Α	server selection
	В	M.J. Wissner
	В	J.C. Salem
	В	A.L. Rodgers
	Α	load database
	Α	database manager selection
16 June 2004	R	nationwide research organization
	G	nationwide research organization
17 June 2004	R	load balancing
	R	load balancing and database server
	I	D.W. Cornell
	R	assign database server
10 February 2005	G	master control module
	G	"master control module" intuit
	www	www.intuit.com

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>S2</b>	1	wissner.in. and salem.in.	US-PGPUB; USPAT	OR	OFF	2004/05/26 15:30
S4	4	("6292802" "6256621" "5915249" "5740423").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 11:41
S3	13	("6151606" "6134549" "6131116" "6161096" "6128624" "6128619" "6094649" "6055541" "6038566" "6023708" "5999941" "5974441" "5835712").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 12:14
S5	13	("6151606" "6134549" "6131116" "6131096" "6128624" "6128619" "6094649" "6055541" "6038566" "6023708" "5999941" "5974441" "5835712").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 14:22
S6	9	("6381324" "6026428" "6014667" "6041344" "5754772" "6064977" "5388257" "6219790" "6219790" "5701451").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 14:30
S7	10	("5710918" "5721908" "5745685" "5752246" "5761663" "5793964" "6434607" "6141759" "6304967" "6338082").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 14:37
S8	10	("6192415" "5644718" "6456308" "6289358" "6292880" "6269394" "5768521" "5978577" "6016509" "5483652").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 14:47
S9	9	("6226649" "6226649" "6356863" "5764890" "6023684" "6233618" "5287461" "5678041" "5740422" "5745754").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 14:56
S10	10	("5946464" "5961645" "5974441" "6092204" "6094655" "6272675" "6397217" "6604135" "5191650" "6085166").pn.	US-PGPUB; USPAT	OR	OFF	2004/05/27 16:23
S11	148	distributed and (databaseid or (database adj id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/27 17:16
S12	25	(assign\$3 near database) near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/27 17:17

640		(#4654270# L #4604206# L	LICDAT	Top	0	2004/05/00 44 50
S13	64	("4651279"   "4694396"	USPAT	OR	OFF	2004/06/02 14:58
		"4714996"   "4757267"   "4853843" 				
		"4875206"   "4882674"   "4893302"				
		"4894824"   "4896319"				
		"4897874"   "4899333"   "4922486"				
		"4953204"   "5005122"				
		"5113496"   "5163131"   "5167035"				
		"5200993"   "5218676"		-		
		"5218697"   "5222120"   "5230072"				
		"5245608"   "5247664"				
		"5253342"   "5257369"   "5263158"				
1		"5263165"   "5265250"				f
		"5274806"   "5276879"   "5276901"				
		"5283731"   "5287103"				
		"5287461"   "5289371"   "5291550"				
		"5307495"   "5313581"     "5313646"   "5325300"   "5325537"				
		"5313646"   "5325290"   "5325527" 				
		5329619				
		"5345586"   "5347632"				
1		"5353412"   "5355453"   "5404523"				
		"5414812"   "5446886"				
		"5452450"   "5459860"   "5463774"				
		"5469497"   "5481700"				
		"5551027"   "5581749").PN.				
S14	20	"5978577" URPN.	USPAT	OR	OFF	2004/06/02 15:34
			a series of the series of			1 m 1 m 1 m 1 m 1
S16	34	(load\$2 near2 database) and	US-PGPUB;	OR	OFF	2004/06/03 14:11
		(unload\$2 near2 database)	USPAT; EPO; JPO;			
ŀ			DERWENT;			
			IBM TDB			
CIE	00	(lood422 dotals) **********************************	_		055	
S15	90	(load\$2 near2 database) and (select\$4 near server\$1)	US-PGPUB;	OR	OFF	2004/06/03 15:06
		(Selective Heal Servers)	USPAT; EPO; JPO;			
			DERWENT;	e fan 'n serl	7	
	i la ja		IBM_TDB	The same of the sa	e de desagn	
			· -			
S17	696	(load\$2 near2 database) and	US-PGPUB;	OR	OFF	2004/06/03 15:07
	1	(select\$4 near (dbmr or (database manager) or (database	USPAT;			
		management system)))	EPO; JPO; DERWENT;			
		management system)))	IBM_TDB	]		
CHO.			7.7 7.7 7.4		نسب	# <u> </u>
S18	60	(load\$2 near2 database) same	US-PGPUB;	OR	OFF	2004/06/03 15:09
		(select\$4 near (dbmr or (database	USPAT;	La di la		
		manager) or (database	EPO; JPO;			
-55		management system)))	DERWENT; IBM_TDB	Markette et e		
			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
S19	0	(load\$2 near2 database) same	US-PGPUB;	OR	OFF	2004/06/03 15:10
		(select\$4 near (dbmr or (database	USPAT;			
		adj manager) or (database adj	EPO; JPO;			
		management adj system)))	DERWENT;			
			IBM_TDB			

S21	4274	database near map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/03 15:18
S20	2	(load\$2 near2 database) and (select\$4 near (dbmr or (database adj manager) or (database adj management adj system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/03 15:18
S23	8	(database near (map\$4 or assign\$3 or allocat\$4) near server) same load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/03 15:19
S22	101	database near (map\$4 or assign\$3 or allocat\$4) near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/03 15:19
S24	50	(database adj (id or identifier)) and (server adj (id or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 08:12
S25	2	(database adj (id or identifier)) with (server adj (id or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 08:14
S27	820	(assign\$3 or associat\$4) near2 (database near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 08:15
S26	2462	(assign\$3 or associat\$4) near2 (database and server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 08:15
S28	382	(assign\$3 or associat\$4) near2 (database near2 server) not (database adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 08:16
S30	42	(assign\$3 or associat\$4) near (database adj (id or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 10:49

S29	31	(assign\$3 or associat\$4) adj (database near2 server) not (database adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 10:49
S32	54	bowman-amuah.in.	US-PGPUB; USPAT	OR	OFF	2004/06/16 13:01
S31	0	ovid adj technologies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:01
S33	31	bowman-amuah.in. and (load adj balancing)	US-PGPUB; USPAT	OR	OFF	2004/06/16 13:02
S34	37	assign\$5 near2 (database adj server)	US-PGPUB; USPAT	OR	OFF	2004/06/17 15:16
S35	55	dbid	US-PGPUB; USPAT	OR	OFF	2004/06/17 16:05

	т	T		<del></del>	T	
S36	4	(US "6735741" B1 US "6735631" B1 US "6694316" B1 US "6687733" B2 US "6611861" B1 US "6604135" B1 US "6578068" B1 US "6453468" B1 US "6446218" B1 US "6434610" B1 US "6415323" B1 US "6415284" B1 US "6304967" B1 US "6298451" B1 US "6292802" B1 US "6272675" B1 US "6266673" B1 US "6272675" B1 US "6226649" B1 US "6173311" B1 US "6151606" A US "6141759" A US "6134558" A US "6134549" A US "6131116" A US "6131096" A US "6128624" A US "6138619" A US "6094649" A US "6094655" A US "6094649" A US "6038566" A US "6032132" A US "6023708" A US "6023684" A US "5999941" A US "5978577" A US "5974441" A US "5978577" A US "5974441" A US "5915249" A US "5826270" A US "5793964" A US "5761663" A US "5793964" A US "5761663" A US "5752246" A US "5745754" A US "5710918" A US "5721908" A US "5752246" A US "5749754" A US "5752461" A US "5749754" A US "5740423" A US "5721908" A US "5729364" A US "5721908" A US "572030158847" A1 US "20030037047" A1 US "20030037047" A1 US "20030037047" A1 US "20030028620" A US "20020042808" A1 US "20020042808" A1 US "200200042808" A1 US "20020004796" A1 ).pn. and timeout	US-PGPUB; USPAT	OR	OFF	2004/06/17 16:34
S41	24	("5978577").URPN.	USPAT	OR	OFF	2005/02/10 16:57
S1	102	wissner.in.	US-PGPUB; USPAT	OR	OFF	2005/02/14 08:31
S42	1024	((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 08:33
S45	362	(((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid) and (distributed or client\$1 or server\$1) and forward\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 08:34

			T	T		2005/00/:: 22.5:
S44	588	(((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid) and (distributed or client\$1 or server\$1) and directly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 08:34
S43	772	(((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid) and (distributed or client\$1 or server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 08:34
S46	143	(((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid) and (distributed or client\$1 or server\$1) and ((forward\$3 or relay\$3) near2 (request\$1 or transaction\$1 or command\$1 or quer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 08:37
S47	51	(((database or (data adj base) or (data adj store) or repository) adj (id or identifier)) or dbid) and (distributed or client\$1 or server\$1) and ((forward\$3 or relay\$3) near2 (request\$1 or transaction\$1 or command\$1 or quer\$3)) and (assign\$3 near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:11
S48	911	707/1-10.ccls. and (server near2 select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 09:12
S49	63	707/1-10.ccls. and (server near2 select\$5) and (database\$1 near2 load\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:45
S50	532	(database near2 creat\$4) with (identifier or id or dbid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:46
S51	126	(database near2 creat\$4) near2 (identifier or id or dbid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:48
S52	41	707/1-104.1.ccls. and (database near2 creat\$4) near2 (identifier or id or dbid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:49